

With only the name as duplicate check field

Very fast.

```
SELECT
  contact.id AS `id`, REPLACE(NULLIF(TRIM(CONCAT(IFNULL(contact.first_name, ''), ' ', IFNULL(contact.middle_name, '')), ' '), IFNULL(contact.last_name, ''))), ' '), ' ', ' ') AS `name`,
  contact.deleted AS `deleted`, contact.salutation_name AS `salutationName`,
  contact.first_name AS `firstName`, contact.last_name AS `lastName`, accountContactPrimary.role AS `title`, contact.description AS `description`,
  emailAddresses.name AS `emailAddress`, phoneNumbers.name AS `phoneNumber`, contact.do_not_call AS `doNotCall`, contact.address_street AS `addressStreet`,
  contact.address_city AS `addressCity`, contact.address_state AS `addressState`, contact.address_country AS `addressCountry`, contact.address_postal_code AS `addressPostalCode`,
  accountContactPrimary.is_inactive AS `accountIsInactive`, account.type AS `accountType`, contact.created_at AS `createdAt`, contact.modified_at AS `modifiedAt`,
  portalUser.id IS NOT NULL AS `hasPortalUser`, contact.agbcode AS `agbcode`, contact.rbcznummer AS `rbcznummer`, contact.m_b_k_datum AS `mBKDatum`,
  contact.m_code AS `mCode`, contact.geboortedatum AS `geboortedatum`, contact.datum_registratie AS `datumRegistratie`, contact.balens AS `balens`,
  contact.regiocode AS `regiocode`, contact.einddatum AS `einddatum`, contact.vakopleiding_datum_diploma AS `vakopleidingDatumDiploma`, contact.datum_v_o_g AS `datumVOG`,
  contact.geslacht AS `geslacht`, contact.initials_name AS `initialsName`, contact.dispensatie AS `dispensatie`, contact.website AS `website`,
  contact.lidnummer AS `lidnummer`, contact.quasier AS `quasier`, contact.geplande_afstudeerdatum AS `geplandeAfstudeerdatum`, contact.nascholingstotalen_herberekenen AS `nascholingstotalenHerberekenen`,
  contact.labels AS `labels`, contact.uitleg_nascholings_berekening AS `uitlegNascholingsBerekening`, contact.nascholing_onvoldoende AS `nascholingOnvoldoende`, contact.survey_id AS `surveyId`,
  contact.nick_name AS `nickName`, contact.aantekening AS `aantekening`, contact.middle_name AS `middleName`, emailAddresses.opt_out AS `emailAddressIsOptedOut`,
  emailAddresses.invalid AS `emailAddressIsInvalid`, phoneNumbers.opt_out AS `phoneNumberIsOptedOut`, phoneNumbers.invalid AS `phoneNumberIsInvalid`, contact.account_id AS `accountId`,
  account.name AS `accountName`, contact.campaign_id AS `campaignId`, campaign.name AS `campaignName`, contact.created_by_id AS `createdById`,
  REPLACE(NULLIF(TRIM(CONCAT(IFNULL(createdBy.first_name, ''), ' ', IFNULL(createdBy.middle_name, '')), ' '), IFNULL(createdBy.last_name, ''))), ' '), ' ') AS `createdByName`,
  contact.modified_by_id AS `modifiedById`, REPLACE(NULLIF(TRIM(CONCAT(IFNULL(modifiedBy.first_name, ''), ' ', IFNULL(modifiedBy.middle_name, '')), ' '), IFNULL(modifiedBy.last_name, ''))), ' '), ' ') AS `modifiedByName`,
  contact.assigned_user_id AS `assignedUserId`,
  REPLACE(NULLIF(TRIM(CONCAT(IFNULL(assignedUser.first_name, ''), ' ', IFNULL(assignedUser.middle_name, '')), ' '), IFNULL(assignedUser.last_name, ''))), ' '), ' ') AS `assignedUserName`,
  portalUser.id AS `portalUserId`, REPLACE(NULLIF(TRIM(CONCAT(IFNULL(portalUser.first_name, ''), ' ', IFNULL(portalUser.middle_name, '')), ' '), IFNULL(portalUser.last_name, ''))), ' '), ' ') AS `portalUserName`,
  originalLead.id AS `originalLeadId`,
  REPLACE(NULLIF(TRIM(CONCAT(IFNULL(originalLead.first_name, ''), ' ', IFNULL(originalLead.middle_name, '')), ' '), IFNULL(originalLead.last_name, ''))), ' '), ' ') AS `originalLeadName`,
  contact.m_b_k_diploma_id AS `mBKDiplomaId`, mBKDiploma.name AS `mBKDiplomaName`, contact.vakopleiding_id AS `vakopleidingId`,
  vakopleiding.name AS `vakopleidingName`, contact.diploma_vakopleiding_id AS `diplomaVakopleidingId`, diplomaVakopleiding.name AS `diplomaVakopleidingName`, contact.v_o_g_id AS `vOGId`,
  vOG.name AS `vOGName`
FROM
  `contact` AS `contact`
LEFT JOIN `attachment` AS `mBKDiploma` ON contact.m_b_k_diploma_id = mBKDiploma.id
LEFT JOIN `attachment` AS `diplomaVakopleiding` ON contact.diploma_vakopleiding_id = diplomaVakopleiding.id
LEFT JOIN `attachment` AS `vOG` ON contact.v_o_g_id = vOG.id
LEFT JOIN `vakopleiding` AS `vakopleiding` ON contact.vakopleiding_id = vakopleiding.id
LEFT JOIN `lead` AS `originalLead` ON contact.id = originalLead.created_contact_id
AND originalLead.deleted = 0
LEFT JOIN `campaign` AS `campaign` ON contact.campaign_id = campaign.id
LEFT JOIN `account` AS `account` ON contact.account_id = account.id
LEFT JOIN `user` AS `assignedUser` ON contact.assigned_user_id = assignedUser.id
LEFT JOIN `user` AS `modifiedBy` ON contact.modified_by_id = modifiedBy.id
LEFT JOIN `user` AS `createdBy` ON contact.created_by_id = createdBy.id
LEFT JOIN `account_contact` AS `accountContactPrimary` ON contact.id = accountContactPrimary.contact_id
AND contact.account_id = accountContactPrimary.account_id
AND accountContactPrimary.deleted = 0
LEFT JOIN `entity_email_address` AS `emailAddressesMiddle` ON contact.id = emailAddressesMiddle.entity_id
AND emailAddressesMiddle.deleted = 0
AND emailAddressesMiddle.primary = 1
AND emailAddressesMiddle.entity_type = 'Contact'
LEFT JOIN `email_address` AS `emailAddresses` ON emailAddresses.id = emailAddressesMiddle.email_address_id
AND emailAddresses.deleted = 0
LEFT JOIN `entity_phone_number` AS `phoneNumbersMiddle` ON contact.id = phoneNumbersMiddle.entity_id
AND phoneNumbersMiddle.deleted = 0
AND phoneNumbersMiddle.primary = 1
AND phoneNumbersMiddle.entity_type = 'Contact'
LEFT JOIN `phone_number` AS `phoneNumbers` ON phoneNumbers.id = phoneNumbersMiddle.phone_number_id
AND phoneNumbers.deleted = 0
LEFT JOIN `user` AS `portalUser` ON contact.id = portalUser.contact_id
AND portalUser.deleted = 0
WHERE
  (
    (
      (
        contact.first_name = 'H.N.M. (Hans)')
      AND (
        contact.last_name = 'Dijkema'))))
AND contact.deleted = 0
LIMIT 0, 1
```

Explain of the Query

id	select_type	table	type	possible_keys	key	key_len	ref	rows	Extra
1	SIMPLE	contact	ref	IDX_FIRST_NAME,IDX_NAME,IDX_SYSTEM_FULL_TEXT_SEARCH	IDX_FIRST_NAME	305	const,const	1	Using index condition; Using where
1	SIMPLE	mBKDiploma	ALL	NULL	NULL	NULL	NULL	12461	Using where; Using join buffer (flat, BNL join)
1	SIMPLE	diplomaVakopleiding	ALL	NULL	NULL	NULL	NULL	12461	Using where; Using join buffer (incremental, BNL join)
1	SIMPLE	vOG	ALL	NULL	NULL	NULL	NULL	12461	Using where; Using join buffer (incremental, BNL join)
1	SIMPLE	vakopleiding	eq_ref	PRIMARY	PRIMARY	98	nvkhcrm.contact.vakopleiding_id	1	Using where
1	SIMPLE	originalLead	ref	IDX_CREATED_CONTACT_ID	IDX_CREATED_CONTACT_ID	75	nvkhcrm.contact.id	6	Using where
1	SIMPLE	campaign	eq_ref	PRIMARY	PRIMARY	74	nvkhcrm.contact.campaign_id	1	Using where
1	SIMPLE	account	eq_ref	PRIMARY	PRIMARY	74	nvkhcrm.contact.account_id	1	Using where
1	SIMPLE	assignedUser	eq_ref	PRIMARY	PRIMARY	74	nvkhcrm.contact.assigned_user_id	1	Using where
1	SIMPLE	modifiedBy	eq_ref	PRIMARY	PRIMARY	74	nvkhcrm.contact.modified_by_id	1	Using where
1	SIMPLE	createdBy	eq_ref	PRIMARY	PRIMARY	74	nvkhcrm.contact.created_by_id	1	Using where
1	SIMPLE	accountContactPrimary	eq_ref	UNIQ_ACCOUNT_ID_CONTACT_ID,IDX_ACCOUNT_ID,IDX_CONTACT_ID	UNIQ_ACCOUNT_ID_CONTACT_ID	150	nvkhcrm.contact.account_id,nvkhcrm.contact.id	1	Using where
1	SIMPLE	emailAddressesMiddle	ref	UNIQ_ENTITY_ID_EMAIL_ADDRESS_ID_ENTITY_TYPE,IDX_ENTITY_ID	IDX_ENTITY_ID	75	nvkhcrm.contact.id	1	Using where
1	SIMPLE	emailAddresses	eq_ref	PRIMARY	PRIMARY	74	nvkhcrm.emailAddressesMiddle.email_address_id	1	Using where
1	SIMPLE	phoneNumbersMiddle	ref	UNIQ_ENTITY_ID_PHONE_NUMBER_ID_ENTITY_TYPE,IDX_ENTITY_ID	IDX_ENTITY_ID	75	nvkhcrm.contact.id	1	Using where
1	SIMPLE	phoneNumbers	eq_ref	PRIMARY	PRIMARY	74	nvkhcrm.phoneNumbersMiddle.phone_number_id	1	Using where
1	SIMPLE	portalUser	ref	IDX_CONTACT_ID	IDX_CONTACT_ID	75	nvkhcrm.contact.id	1	Using where

With Only the email address as duplicate check field

Very fast.

id	name	deleted	salutationName	firstName	lastName	title	description	emailAddress	phoneNumber	doNotCall	addressStreet	addressCity	addressState	addressCountry	addressPostalCode	account
66e44a8e40ea862bc	D (Dop) van Doer	0	Dhr. of Mevr.	D (Dop)	Doer	NULL	NULL	hans@dykema.nl	0646390827	0	Buinerflep 8e	KLurp	NULL	NULL	9234TE	NULL

1 rij (0.152 s), [Explain](#), [Exporteren](#)

```
SELECT
contact.id AS `id`, REPLACE(NULLIF(TRIM(CONCAT(IFNULL(contact.first_name, ''), ' '), IFNULL(contact.middle_name, '')), ' '), IFNULL(contact.last_name, '')), ' '), ' '), ' ') AS `name`, contact.deleted AS `deleted`, contact.salutation_name AS `salutationName`,
contact.first_name AS `firstName`, contact.last_name AS `lastName`, accountContactPrimary.role AS `title`, contact.description AS `description`,
emailAddresses.name AS `emailAddress`, phoneNumbers.name AS `phoneNumber`, contact.do_not_call AS `doNotCall`, contact.address_street AS `addressStreet`,
contact.address_city AS `addressCity`, contact.address_state AS `addressState`, contact.address_country AS `addressCountry`, contact.address_postal_code AS `addressPostalCode`,
accountContactPrimary.is_inactive AS `accountIsInactive`, account.type AS `accountType`, contact.created_at AS `createdAt`, contact.modified_at AS `modifiedAt`,
portalUser.id IS NOT NULL AS `hasPortalUser`, contact.agbcode AS `agbcode`, contact.rbcznummer AS `rbcznummer`, contact.m_b_k_datum AS `mBKDatum`,
contact.m_code AS `mCode`, contact.geboortedatum AS `geboortedatum`, contact.datum_registratie AS `datumRegistratie`, contact.balens AS `balens`,
contact.regiocode AS `regiocode`, contact.einddatum AS `einddatum`, contact.vakopleiding_datum_diploma AS `vakopleidingDatumDiploma`, contact.datum_v_o_g AS `datumVOG`,
contact.geslacht AS `geslacht`, contact.initials_name AS `initialsName`, contact.dispensatie AS `dispensatie`, contact.website AS `website`,
contact.lidnummer AS `lidnummer`, contact.quasier AS `quasier`, contact.geplande_afstudeerdatum AS `geplandeAfstudeerdatum`, contact.nascholingtotaal_herberekenen AS `nascholingtotaalHerberekenen`,
contact.labels AS `labels`, contact.uitleg_nascholings_berekening AS `uitlegNascholingsBerekening`, contact.nascholing_onvoldoende AS `nascholingOnvoldoende`, contact.survey_id AS `surveyId`,
contact.nick_name AS `nickName`, contact.aantekening AS `aantekening`, contact.middle_name AS `middleName`, emailAddresses.opt_out AS `emailAddressIsOptedOut`,
emailAddresses.invalid AS `emailAddressIsInvalid`, phoneNumbers.opt_out AS `phoneNumberIsOptedOut`, phoneNumbers.invalid AS `phoneNumberIsInvalid`, contact.account_id AS `accountId`,
account.name AS `accountName`, contact.campaign_id AS `campaignId`, campaign.name AS `campaignName`, contact.created_by_id AS `createdById`,
REPLACE(NULLIF(TRIM(CONCAT(IFNULL(createdBy.first_name, ''), ' '), IFNULL(createdBy.middle_name, '')), ' '), IFNULL(createdBy.last_name, '')), ' '), ' '), ' ') AS `createdByName`,
contact.modified_by_id AS `modifiedById`, REPLACE(NULLIF(TRIM(CONCAT(IFNULL(modifiedBy.first_name, ''), ' '), IFNULL(modifiedBy.middle_name, '')), ' '), ' '), ' '), ' ') AS `modifiedByName`,
IFNULL(modifiedBy.last_name, '')), ' '), ' '), ' ') AS `modifiedByName`, contact.assigned_user_id AS `assignedUserId`,
REPLACE(NULLIF(TRIM(CONCAT(IFNULL(assignedUser.first_name, ''), ' '), IFNULL(assignedUser.middle_name, '')), ' '), IFNULL(assignedUser.last_name, '')), ' '), ' '), ' ') AS `assignedUserName`,
portalUser.id AS `portalUserId`, REPLACE(NULLIF(TRIM(CONCAT(IFNULL(portalUser.first_name, ''), ' '), IFNULL(portalUser.middle_name, '')), ' '), ' '), ' '), ' ') AS `portalUserName`,
IFNULL(portalUser.last_name, '')), ' '), ' '), ' ') AS `portalUserName`, originalLead.id AS `originalLeadId`,
REPLACE(NULLIF(TRIM(CONCAT(IFNULL(originalLead.first_name, ''), ' '), IFNULL(originalLead.middle_name, '')), ' '), IFNULL(originalLead.last_name, '')), ' '), ' '), ' ') AS `originalLeadName`,
contact.m_b_k_diploma_id AS `mBKDiplomaId`, mBKDiploma.name AS `mBKDiplomaName`, contact.vakopleiding_id AS `vakopleidingId`,
vakopleiding.name AS `vakopleidingName`, contact.diploma_vakopleiding_id AS `diplomaVakopleidingId`, diplomaVakopleiding.name AS `diplomaVakopleidingName`, contact.v_o_g_id AS `vOGId`,
vOG.name AS `vOGName`
FROM `contact` AS `contact`
LEFT JOIN `attachment` AS `mBKDiploma` ON contact.m_b_k_diploma_id = mBKDiploma.id
LEFT JOIN `attachment` AS `diplomaVakopleiding` ON contact.diploma_vakopleiding_id = diplomaVakopleiding.id
LEFT JOIN `attachment` AS `vOG` ON contact.v_o_g_id = vOG.id
LEFT JOIN `vakopleiding` AS `vakopleiding` ON contact.vakopleiding_id = vakopleiding.id
LEFT JOIN `lead` AS `originalLead` ON contact.id = originalLead.created_contact_id
AND originalLead.deleted = 0
LEFT JOIN `campaign` AS `campaign` ON contact.campaign_id = campaign.id
LEFT JOIN `account` AS `account` ON contact.account_id = account.id
LEFT JOIN `user` AS `assignedUser` ON contact.assigned_user_id = assignedUser.id
LEFT JOIN `user` AS `modifiedBy` ON contact.modified_by_id = modifiedBy.id
LEFT JOIN `user` AS `createdBy` ON contact.created_by_id = createdBy.id
LEFT JOIN `entity_email_address` AS `emailAddressesMultipleMiddle` ON contact.id = emailAddressesMultipleMiddle.entity_id
AND emailAddressesMultipleMiddle.deleted = 0
AND emailAddressesMultipleMiddle.entity_type = 'Contact'
LEFT JOIN `email_address` AS `emailAddressesMultiple` ON emailAddressesMultiple.id = emailAddressesMultipleMiddle.email_address_id
AND emailAddressesMultiple.deleted = 0
LEFT JOIN `account_contact` AS `accountContactPrimary` ON contact.id = accountContactPrimary.contact_id
AND contact.account_id = accountContactPrimary.account_id
AND accountContactPrimary.deleted = 0
LEFT JOIN `entity_email_address` AS `emailAddressesMiddle` ON contact.id = emailAddressesMiddle.entity_id
AND emailAddressesMiddle.deleted = 0
AND emailAddressesMiddle.primary = 1
AND emailAddressesMiddle.entity_type = 'Contact'
LEFT JOIN `email_address` AS `emailAddresses` ON emailAddresses.id = emailAddressesMiddle.email_address_id
AND emailAddresses.deleted = 0
LEFT JOIN `entity_phone_number` AS `phoneNumbersMiddle` ON contact.id = phoneNumbersMiddle.entity_id
AND phoneNumbersMiddle.deleted = 0
AND phoneNumbersMiddle.primary = 1
AND phoneNumbersMiddle.entity_type = 'Contact'
LEFT JOIN `phone_number` AS `phoneNumbers` ON phoneNumbers.id = phoneNumbersMiddle.phone_number_id
AND phoneNumbers.deleted = 0
LEFT JOIN `user` AS `portalUser` ON contact.id = portalUser.contact_id
AND portalUser.deleted = 0
WHERE
(
(
emailAddressesMultiple.lower = LOWER('hans@dykema.nl'))
)
AND contact.deleted = 0
LIMIT 0, 1
```

Uitvoeren

Limit rows:

☐ Stoppen bij fout ☐ Enkel fouten tonen

Geschiedenis

Explain of the query

id	select_type	table	type	possible_keys	key	key_len	ref	rows	Extra
1	SIMPLE	emailAddressesMultiple	ref	PRIMARY,IDX_LOWER	IDX_LOWER	768	const	1	Using index condition; Using where
1	SIMPLE	emailAddressesMultipleMiddle	ref	UNIQ_ENTITY_ID_EMAIL_ADDRESS_ID_ENTITY_TYPE,IDX_ENTITY_ID,IDX_EMAIL_ADDRESS_ID	IDX_EMAIL_ADDRESS_ID	75	nvkhcrm.emailAddressesMultiple.id	20	Using where
1	SIMPLE	contact	eq_ref	PRIMARY	PRIMARY	74	nvkhcrm.emailAddressesMultipleMiddle.entity_id	1	Using where
1	SIMPLE	accountContactPrimary	eq_ref	UNIQ_ACCOUNT_ID_CONTACT_ID,IDX_ACCOUNT_ID,IDX_CONTACT_ID	UNIQ_ACCOUNT_ID_CONTACT_ID	150	nvkhcrm.contact.account_id,nvkhcrm.emailAddressesMultipleMiddle.entity_id	1	Using where
1	SIMPLE	emailAddressesMiddle	ref	UNIQ_ENTITY_ID_EMAIL_ADDRESS_ID_ENTITY_TYPE,IDX_ENTITY_ID	UNIQ_ENTITY_ID_EMAIL_ADDRESS_ID_ENTITY_TYPE	75	nvkhcrm.emailAddressesMultipleMiddle.entity_id	1	Using where
1	SIMPLE	emailAddresses	eq_ref	PRIMARY	PRIMARY	74	nvkhcrm.emailAddressesMiddle.email_address_id	1	Using where
1	SIMPLE	phoneNumbersMiddle	ref	UNIQ_ENTITY_ID_PHONE_NUMBER_ID_ENTITY_TYPE,IDX_ENTITY_ID	UNIQ_ENTITY_ID_PHONE_NUMBER_ID_ENTITY_TYPE	75	nvkhcrm.emailAddressesMultipleMiddle.entity_id	1	Using where
1	SIMPLE	phoneNumbers	eq_ref	PRIMARY	PRIMARY	74	nvkhcrm.phoneNumbersMiddle.phone_number_id	1	Using where
1	SIMPLE	portalUser	ref	IDX_CONTACT_ID	IDX_CONTACT_ID	75	nvkhcrm.emailAddressesMultipleMiddle.entity_id	1	Using where
1	SIMPLE	mBKDiploma	ALL	NULL	NULL	NULL	NULL	12461	Using where; Using join buffer (flat, BNL join)
1	SIMPLE	diplomaVakopleiding	ALL	NULL	NULL	NULL	NULL	12461	Using where; Using join buffer (incremental, BNL join)
1	SIMPLE	vOG	ALL	NULL	NULL	NULL	NULL	12461	Using where; Using join buffer (incremental, BNL join)
1	SIMPLE	vakopleiding	eq_ref	PRIMARY	PRIMARY	98	nvkhcrm.contact.vakopleiding_id	1	Using where
1	SIMPLE	originalLead	ref	IDX_CREATED_CONTACT_ID	IDX_CREATED_CONTACT_ID	75	nvkhcrm.emailAddressesMultipleMiddle.entity_id	6	Using where
1	SIMPLE	campaign	eq_ref	PRIMARY	PRIMARY	74	nvkhcrm.contact.campaign_id	1	Using where
1	SIMPLE	account	eq_ref	PRIMARY	PRIMARY	74	nvkhcrm.contact.account_id	1	Using where
1	SIMPLE	assignedUser	eq_ref	PRIMARY	PRIMARY	74	nvkhcrm.contact.assigned_user_id	1	Using where
1	SIMPLE	modifiedBy	eq_ref	PRIMARY	PRIMARY	74	nvkhcrm.contact.modified_by_id	1	Using where
1	SIMPLE	createdBy	eq_ref	PRIMARY	PRIMARY	74	nvkhcrm.contact.created_by_id	1	Using where

Replacing [*] by [id, name] and using email & name

return \$builder->select(['*']->find()); ➔ return \$builder->select(['id', 'name']);

EXTREMELY FAST!!

id	select_type	table	type	possible_keys	key	key_len	ref	rows	Extra
1	SIMPLE	user	const	PRIMARY	PRIMARY	74	const	1	
1	SIMPLE	avatar	const	PRIMARY	NULL	NULL	NULL	1	
1	SIMPLE	contact	const	PRIMARY	NULL	NULL	NULL	1	
1	SIMPLE	dashboardTemplate	const	PRIMARY	NULL	NULL	NULL	1	
1	SIMPLE	defaultTeam	const	PRIMARY	NULL	NULL	NULL	1	
1	SIMPLE	userData	ref	IDX_USER_ID	IDX_USER_ID	75	const	1	Using where
1	SIMPLE	createdBy	eq_ref	PRIMARY	PRIMARY	74	const	1	Using where
1	SIMPLE	emailAddressesMiddle	ref	UNIQ_ENTITY_ID_EMAIL_ADDRESS_ID_ENTITY_TYPE,IDX_ENTITY_ID	UNIQ_ENTITY_ID_EMAIL_ADDRESS_ID_ENTITY_TYPE	75	const	2	Using where
1	SIMPLE	emailAddresses	eq_ref	PRIMARY	PRIMARY	74	nvkhrm.emailAddressesMiddle.email_address_id	1	Using where
1	SIMPLE	phoneNumbersMiddle	ref	UNIQ_ENTITY_ID_PHONE_NUMBER_ID_ENTITY_TYPE,IDX_ENTITY_ID	UNIQ_ENTITY_ID_PHONE_NUMBER_ID_ENTITY_TYPE	75	const	1	Using where
1	SIMPLE	phoneNumbers	eq_ref	PRIMARY	PRIMARY	74	nvkhrm.phoneNumbersMiddle.phone_number_id	1	Using where

11 rijen (0.000 s), Exporteren

```
explain SELECT
  user.id AS `id`, REPLACE(NULLIF(TRIM(CONCAT(IFNULL(user.first_name, ''), ' ', IFNULL(user.middle_name, ''), ' ', IFNULL(user.last_name, ''))), ''), ' ', ' ') AS `name`,
  user.deleted AS `deleted`, user.user_name AS `userName`,
  user.type AS `type`, user.password AS `password`, user.auth_method AS `authMethod`, user.api_key AS `apiKey`,
  user.salutation_name AS `salutationName`, user.first_name AS `firstName`, user.last_name AS `lastName`, user.is_active AS `isActive`,
  user.title AS `title`, emailAddresses.name AS `emailAddress`, phoneNumbers.name AS `phoneNumber`, user.avatar_color AS `avatarColor`,
  user.gender AS `gender`, user.created_at AS `createdAt`, user.modified_at AS `modifiedAt`, userData.auth2_f_a AS `auth2FA`,
  user.middle_name AS `middleName`, emailAddresses.opt_out AS `emailAddressIsOptedOut`, emailAddresses.invalid AS `emailAddressIsInvalid`, phoneNumbers.opt_out AS `phoneNumberIsOptedOut`,
  phoneNumbers.invalid AS `phoneNumberIsInvalid`, user.delete_id AS `deleteId`, user.default_team_id AS `defaultTeamId`, defaultTeam.name AS `defaultTeamName`,
  user.contact_id AS `contactId`, REPLACE(NULLIF(TRIM(CONCAT(IFNULL(contact.first_name, ''), ' ', IFNULL(contact.middle_name, ''))), ''), ' ', ' ') AS `contactName`,
  IFNULL(contact.last_name, '')), ''), ' ', ' ') AS `contactName`, user.avatar_id AS `avatarId`, avatar.name AS `avatarName`,
  user.created_by_id AS `createdById`, REPLACE(NULLIF(TRIM(CONCAT(IFNULL(createdBy.first_name, ''), ' ', IFNULL(createdBy.middle_name, ''))), ''), ' ', ' ') AS `createdByName`,
  IFNULL(createdBy.last_name, ''))), ''), ' ', ' ') AS `createdByName`, user.dashboard_template_id AS `dashboardTemplateId`, dashboardTemplate.name AS `dashboardTemplateName`,
  user.working_time_calendar_id AS `workingTimeCalendarId`, user.layout_set_id AS `layoutSetId`, userData.id AS `userDataId`, userData.id AS `userDataName`
FROM
  `user` AS `user`
LEFT JOIN `attachment` AS `avatar` ON user.avatar_id = avatar.id
LEFT JOIN `contact` AS `contact` ON user.contact_id = contact.id
LEFT JOIN `user_data` AS `userData` ON user.id = userData.user_id
AND userData.deleted = 0
LEFT JOIN `dashboard_template` AS `dashboardTemplate` ON user.dashboard_template_id = dashboardTemplate.id
LEFT JOIN `user` AS `createdBy` ON user.created_by_id = createdBy.id
LEFT JOIN `team` AS `defaultTeam` ON user.default_team_id = defaultTeam.id
LEFT JOIN `entity_email_address` AS `emailAddressesMiddle` ON user.id = emailAddressesMiddle.entity_id
AND emailAddressesMiddle.deleted = 0
AND emailAddressesMiddle.primary = 1
AND emailAddressesMiddle.entity_type = 'User'
LEFT JOIN `email_address` AS `emailAddresses` ON emailAddresses.id = emailAddressesMiddle.email_address_id
AND emailAddresses.deleted = 0
LEFT JOIN `entity_phone_number` AS `phoneNumbersMiddle` ON user.id = phoneNumbersMiddle.entity_id
AND phoneNumbersMiddle.deleted = 0
AND phoneNumbersMiddle.primary = 1
AND phoneNumbersMiddle.entity_type = 'User'
LEFT JOIN `phone_number` AS `phoneNumbers` ON phoneNumbers.id = phoneNumbersMiddle.phone_number_id
AND phoneNumbers.deleted = 0
WHERE
  user.id = '1'
AND user.deleted = 0
```

Uitvoeren Limit rows: ☐ Stoppen bij fout ☐ Enkel fouten tonen

Geschiedenis